



**pulp-tec**

# Flexi Packaging



**Pulp-Tec Limited**  
8 Grayhill Road,  
Cumbernauld Glasgow  
G68 9HQ United Kingdom

**Tel:** +44 (0) 1236 829 052  
**E-Mail:** [sales-uk@pulp-tec.com](mailto:sales-uk@pulp-tec.com)  
**Website:** [www.pulp-tec.com](http://www.pulp-tec.com)

**Registered in Scotland**  
No. SC265 266  
VAT No. 852 9903 93

**Managing Director**  
Gary Shaw

# Flexi-Wrap


- alternative to bubble wrap and plastic void fill
- designed for maximum shock absorption
- flexible application around complex objects
- disposal in waste paper recycling stream



	<b>Length</b>	<b>Width</b>	<b>Height</b>	<b>Parts per Palet</b>
Standard	780 mm	370 mm	20 mm	540 pc
Heavy	780 mm	370 mm	20 mm	540 pc
Strip	780 mm	110 mm	20 mm	1.350 pc
Mini	385 mm	385 mm	12 mm	2220 pc

# Flexi-Pad


- pads can be placed onto the bottom of a pallet or carton
- adaptive design
- the product to be packed can be pressed into the pad
- pad holds the shape of the good
- pad securing the good in multiple directions



<b>Length</b>	<b>Width</b>	<b>Height</b>	<b>Parts per Palet</b>
385 mm	385 mm	56 mm	600 pc

# Flexi-Box

- Flexi-Box is a ready to use solution
- with a cardboard box and Flexi-cushions inside
- you only need to open the box, put your goods inside, close the lid



Length	Width	Height	Parts per Pallet
384 mm	250 mm	34 mm	1725 pc